

ÖZTÜRK
İlaç Sanayi ve Ticaret A.Ş.

BÜRO

Kaptan Paşa Mah. Darülaceze Cad.
Demirkaya İş Merkezi No:17/1
Pk. 80270 Şişli-İSTANBUL/TURKEY
Tel. : (90 212) 221 67 49 - 221 64 77
Fax : (90 212) 222 76 89

FABRİKA

Atatürk Sanayi Bölgesi Meriç Sok. No.: 2
Hadımköy - İSTANBUL
Tic. Sic. No.: 191905 / 139430
Tel. : (90 212) 771 26 58 - 771 26 59
Fax : (90 212) 771 27 31
web:www.ozturk.com.tr e-mail:ozturk@ozturk.com.tr

SAFETY DATA SHEET

(REACH Regulation (EC) N° 1907/2006 - N° 453/2010)

SDS no.: 227
Revision: 01.01.2018
Printing Date: 07.03.2018

SHINY AIR FRESHENER 300ML.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY:

PRODUCT NAME: SHINY AIR FRESHENER
USE: AIR FRESHENER
COMPANY NAME: ÖZTÜRK İLAÇ SANAYİ TİC. A.Ş.
Ataturk Sanayii Sitesi
Meriç Sokak No:2
Hadimkoy Istanbul
TURKEY

EMERGENCY TELEPHONES: TEL. 90 212 7712658 ALL HOURS


FAX. 90 212 771 2731

2. HAZARDS IDENTIFICATION:

2.1 Classification of the substance or mixture

F	FLAMMABLE. R-11 flammable.
----------	-----------------------------------

- ☐ Skin irritation,: Not relevant
- ☐ Eye irritation :Category 2.
- ☐ Skin sensitisation, . Not relevant
- ☐ Specific target organ toxicity (single exposure) : Not relevant.
- ☐ Hazardous to the aquatic environment - Chronic hazard,. Not relevant
- ☐ This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.



ÖZTÜRK
İlaç Sanayi ve Ticaret A.Ş.

BÜRO

Kaptan Paşa Mah. Darülaceze Cad.
Demirkaya İş Merkezi No:17/1
Pk. 80270 Şişli-İSTANBUL/TURKEY
Tel. : (90 212) 221 67 49 - 221 64 77
Fax : (90 212) 222 76 89

FABRİKA

Atatürk Sanayi Bölgesi Meriç Sok. No.: 2
Hadımköy - İSTANBUL
Tic. Sic. No.: 191905 / 139430
Tel. : (90 212) 771 26 58 - 771 26 59
Fax : (90 212) 771 27 31
web:www.ozturk.com.tr e-mail:ozturk@ozturk.com.tr

2.2.

Hazard statements

H223 flammable aerosol

Precautionary statements - Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces – No smoking
P211 Do not spray on an open flame or other ignition source
P251 Pressurized container – Do not pierce or burn, even after use
P101 If medical advice is needed, have product container or label at hand
P102 Keep out of reach of children
P103 Read label before use

Precautionary statements - Response

P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing.

Hazard symbols

F



FLAMMABLE



ÖZTÜRK
İlaç Sanayi ve Ticaret A.Ş.

BÜRO

Kaptan Paşa Mah. Darülaceze Cad.
Demirkaya İş Merkezi No:17/1
Pk. 80270 Şişli-İSTANBUL/TURKEY
Tel. : (90 212) 221 67 49 - 221 64 77
Fax : (90 212) 222 76 89

FABRİKA

Atatürk Sanayi Bölgesi Meriç Sok. No.: 2
Hadımköy - İSTANBUL
Tic. Sic. No.: 191905 / 139430
Tel. : (90 212) 771 26 58 - 771 26 59
Fax : (90 212) 771 27 31
web:www.ozturk.com.tr e-mail:ozturk@ozturk.com.tr

3. COMPOSITION/INFORMATION ON INGREDIENTS :

COMPOSITION/General description:

SHINY Air Freshener obtained by mixing Deionized Water,Fragrance,Sorbitan Monooleate,Ammonium Potassium Phosphate,Monopropylene Glycol,Ethanol,Dodigen 226 and Propane / Butane derivatives.
Aerosol propelled by liquefied petroleum gas.

DECLARATION OF INGREDIENTS:

Ingredient Name	CAS#	% by Weight	Exposure Limits	LCD50/LD50
Propane	74-98-6	6 – 7	TWA: 1800 (mg/m ³) from OSHA (PEL) United States	Not available
Butane	106-97-8	13 - 14	TWA: 4508 mg/m ³) from ACGIH (TLV) United States	Not available
Isobutane	75-28-5	6 – 7	TWA: 1800 (mg/m ³) from OSHA (PEL) United States	Not available
Monopropylene Glycol	57 – 55 - 6	0,1 – 0,12	Not available	Not applicable
Sorbitan Monooleate	1338 - 43 - 8	0,4 – 0,5	Not available	Not applicable
Ethanol	64-17-5	0,01– 0,02	7060 mg/kg Rat 3450 mg/kg Mouse 20000 mg/kg Rabbit	20000ppm/10h
Fragrance	N / A	0,6 – 0,7	Not available	Not available
Ammonium Potassium Phosphate	7778 – 77 - 0	0,6 – 0,7	Not available	Not applicable
Deionised Water	7732 –18 – 5	72 - 74	Not available	Not applicable



ÖZTÜRK
İlaç Sanayi ve Ticaret A.Ş.

BÜRO

Kaptan Paşa Mah. Darülaceze Cad.
Demirkaya İş Merkezi No:17/1
Pk. 80270 Şişli-İSTANBUL/TURKEY
Tel. : (90 212) 221 67 49 - 221 64 77
Fax : (90 212) 222 76 89

FABRİKA

Atatürk Sanayi Bölgesi Meriç Sok. No.: 2
Hadımköy - İSTANBUL
Tic. Sic. No.: 191905 / 139430
Tel. : (90 212) 771 26 58 - 771 26 59
Fax : (90 212) 771 27 31
web:www.ozturk.com.tr e-mail:ozturk@ozturk.com.tr

Dodigen 226	8001-54-5	0,05 – 0,06	Not available	Not applicable
-------------	-----------	-------------	---------------	----------------

4. FIRST-AID MEASURES:

INHALATION: Provide rest, warmth and fresh air.

INGESTION: Not relevant

SKIN CONTACT: Wash off with plenty of running water.

EYES CONTACT: Promptly wash eyes with plenty of running water while lifting the eye lids. Get medical attention if any discomfort continues.

5. FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire. CO₂, dry chemical, foam.

SPECIAL FIRE FIGHTING PROCEDURES: Use water to keep fire exposed containers cool and disperse vapours.

UNUSUAL FIRE & EXPLOSION HAZARDS: Possible risk of can rupture when exposed to fire/high temps. Contents of aerosol will add to fuelling of fire.

6. ACCIDENTAL RELEASE MEASURES:

SPILL CLEANUP METHODS:

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb with inert, damp, noncombustible material, then flush area with water.

7. HANDLING AND STORAGE:

HANDLING: Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mists. Use only in well-ventilated areas. Do not puncture or incinerate even when empty.



ÖZTÜRK
İlaç Sanayi ve Ticaret A.Ş.

BÜRO

Kaptan Paşa Mah. Darülaceze Cad.
Demirkaya İş Merkezi No:17/1
Pk. 80270 Şişli-İSTANBUL/TURKEY
Tel. : (90 212) 221 67 49 - 221 64 77
Fax : (90 212) 222 76 89

FABRİKA

Atatürk Sanayi Bölgesi Meriç Sok. No.: 2
Hadımköy - İSTANBUL
Tic. Sic. No.: 191905 / 139430
Tel. : (90 212) 771 26 58 - 771 26 59
Fax : (90 212) 771 27 31
web:www.ozturk.com.tr e-mail:ozturk@ozturk.com.tr

STORAGE: Store in a dry, cool and well-ventilated areas. Protect from freezing. Keep away from heat, sparks and open flame. CAUTION. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.
KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

ENGINEERING CONTROL: No special ventilation requirements. General room ventilation is adequate.

Exposure Limits

PROPAN

TWA: 1800 (mg/m³) from
OSHA (PEL) United States

BUTAN

TWA: 4508 mg/m³) from
ACGIH (TLV) United States

PERSONAL PROTECTION: **Eyes:** No special protection is required.
Hands: No special requirement under normal use conditions.
Respiratory: No special protection is required.
Feet: No special protection is required.
Body: No special protective clothing is required

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: Aerosol , White Mousse
ODOUR: Pleasant, with parfum
pH-value: 6,5 - 7 (concentrate)
VAPOR DENSITY: >1 (Air =1)
VOC: Not available
SPECIFIC GRAVITY: Not available

10. STABILITY AND REACTIVITY:

STABILITY AND REACTIVITY: The product is stable

CONDITIONS OF INSTABILITY: Avoid heat, flames and other sources of ignition

HAZARDOUS DECOMPOSITION PRODUCTS: Produces normal products of combustion.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION:



ÖZTÜRK
İlaç Sanayi ve Ticaret A.Ş.

BÜRO

Kaptan Paşa Mah. Darülaceze Cad.
Demirkaya İş Merkezi No:17/1
Pk. 80270 Şişli-İSTANBUL/TURKEY
Tel. : (90 212) 221 67 49 - 221 64 77
Fax : (90 212) 222 76 89

FABRİKA

Atatürk Sanayi Bölgesi Meriç Sok. No.: 2
Hadımköy - İSTANBUL
Tic. Sic. No.: 191905 / 139430
Tel. : (90 212) 771 26 58 - 771 26 59
Fax : (90 212) 771 27 31
web:www.ozturk.com.tr e-mail:ozturk@ozturk.com.tr

ACUTE TOXICITY: None known

EFFECT OF CHRONIC EXPOSURE: None known

MEDICAL SYMPTOMS:

EYES AND MUCOUS MEMBRANES: Irritation of eyes and mucous membranes.

MOUTH AND THROAT: Irritation of mouth and throat.

RESPIRATORY SYSTEM: Upper respiratory irritation.

12. ECOLOGICAL INFORMATION:

ECOTOXICITY: Not available

TOXICITY OF THE PRODUCTS OF DEGRADATIONS: Not available

SPECIAL REMARCS: This preparation does not effect ozone layer.

13. DISPOSAL CONSIDERATIONS:

DISPOSAL METHODS:

Do not puncture or incinerate even when empty. Dispose of in accordance with local authority requirements.

14. TRANSPORT INFORMATION:

ADR ITEM No.: 5°F
CEFIC TEC(R) No.: 20G26-1
UN No. SEA: 1950
IMDG CLASS: 2,2
IMDG PAGE No.: 2102
UN No., AIR: 1950

15. REGULATORY INFORMATION:

SYMBOL OF DANGER: F Flammable


RISK PHRASES: R-11 flammable.

SAFETY PHRASES: S-16 Keep away from sources of ignition - No Smoking.
S1/2 Keep out of reach of children.
S-23B Do not breathe spray or fumes.
S-9 Keep container in a well-ventilated place.

UK REGULATORY REFERENCES: The Control of Substances Hazardous to Health Regulations 1988.

GUIDANCE NOTES: Occupational Exposure Limits EH40.

16. OTHER INFORMATION:



ÖZTÜRK
İlaç Sanayi ve Ticaret A.Ş.

BÜRO

Kaptan Paşa Mah. Darülaceze Cad.

Demirkaya İş Merkezi No:17/1

Pk. 80270 Şişli-İSTANBUL/TURKEY

Tel. : (90 212) 221 67 49 - 221 64 77

Fax : (90 212) 222 76 89

FABRİKA

Atatürk Sanayi Bölgesi Meriç Sok. No.: 2

Hadımköy - İSTANBUL

Tic. Sic. No.: 191905 / 139430

Tel. : (90 212) 771 26 58 - 771 26 59

Fax : (90 212) 771 27 31

web:www.ozturk.com.tr e-mail:ozturk@ozturk.com.tr

USER NOTES: This preparation is not classified as hazardous for supply and does therefore not require a formal COSHH assessment. Employees should be aware of the precautions detailed in this data sheet, recommendations concerning safety equipment should be followed.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from use of MSDS information.

ÖZTÜRK İLAÇ SAN VE TİC AŞ
SERHAT YOKUŞ
DATE: 05.09.2012